


INDUSTRIAL APPLICATIONS




◀ ON THE COVER: OUR 1/4" THICK FLOORING WITHSTANDS FORKLIFT AND PALLET TRAFFIC, MAKES IT EASY TO CLEAN OFF CAKED-ON PRODUCT AND ENHANCES APPEARANCE IN WORK AREAS.



▲ DESCO FLOOR COATINGS PREVENT CONCRETE DUSTING, ENHANCE VISUAL APPEARANCE AND REDUCE MAINTENANCE COSTS.



◀ COATINGS HELP CONTAIN SPILLED PRODUCTS AND MAKE CLEANING EASY.



▲ DESCO PROVIDES NECESSARY SLOPING IN NEW FLOORINGS FOR PRODUCT CONTAINMENT WITHIN MIXING AREAS.

◀ (LEFT TOP) WE CAN INCORPORATE A WHITE INSECT BAND WITH 4" INTEGRAL COVE BASE INTO THE FLOORING SYSTEM.

◀ (LEFT BOTTOM) WE PROVIDE A COVE BASE ON ALL EQUIPMENT LEGS AND COLUMNS IN CONTACT WITH THE FLOORING, GREATLY ENHANCING CLEANABILITY.

DESCO CLIENTS AND SERVICES

CLIENTS

- Allen Press
- Allied Signal/Bendix
- Cargill
- Cessna
- Coca Cola
- Colgate Palmolive
- Dana Corporation
- Delco Remy
- Deluxe Checks
- E. I. du Pont
- Earp Meats
- FMC
- Ford Motor Co.
- Fresh Start Bakeries
- General Motors
- Golden Harvest
- Hallmark
- Hershey Pasta
- International Multi Foods
- Johnson Controls
- K.C.P.L. Iatan
- Lake City Arsenal
- Mead Container
- Monsanto
- Paulo Products

- Proctor & Gamble
- Quaker Oats
- Reliv, Inc.
- Sigma
- Southwestern Bell
- Superior Industries
- Tyson
- U.S. Toy
- Westreco

SERVICES

- Solvent storage
- Tank farm containment
- Secondary containment
- Manufacturing areas
- Static dissipating floors
- Warehouse/Storage
- Lockers/Restrooms/Showers
- Food preparation areas
- Oven/Cooler/Freezer
- Loading docks
- Cafeteria/Kitchens/Breakrooms
- Packaging
- Production areas
- Conductive sparkproof flooring

DESCO COATINGS, INC.

P.O. BOX 2658
 OLATHE, KS 66063
 1-800-426-4164
 913-782-3330
 FAX 913-782-0066

Coating applications in industrial environments face a myriad of

requirements, from meeting strict Environmental Protection Agency regulations to handling the stress of heavy equipment use. DESCO's methodology and application techniques ensure that our coating processes don't just solve problems, they prevent them. Any company can deliver materials to a job site. However, it takes highly trained applicators to transform liquids, aggregates and fiberglass into a finished, working product.



▲ FLOOR TEXTURES CAN BE TAILORED WITH A SMOOTH SURFACE WHICH PROVIDES EASY CLEANING OR LEFT WITH AN AGGRESSIVE TEXTURE FOR ADDED SLIP RESISTANCE IN WET OR HAZARDOUS AREAS.



◀ OUR COATINGS PROTECT CONCRETE FROM DESTRUCTIVE CHEMICAL ATTACK AND PREVENT SEEPAGE OF HAZARDOUS MATERIALS INTO THE SURROUNDING ENVIRONMENT.

CASE STUDY: HERSHEY PASTA

PROBLEM:

Hershey Pasta's floors were in a state of decline. Though they needed repairs, the company could not totally shut down operations or move out the equipment and machinery.

SOLUTION:

DESCO mechanics trowelled around and under equipment and also provided radius coves on legs of the equipment and machinery. In repairing the floors, DESCO included innovative details ranging from sloping areas for improved drainage to